

machinery

www.wick-machinery.com

Automatic filling and closing machine Minican Universal



Tel.: **43/2235/877 22-0

Fax: **43/2235/877 22-16

Equipment:

Indexing table with 12 or 16 stations 1-4 Filling stations Application station for caps Cap sorting machine Closing station

Optionals:

Application of droppers
Application of rubber stoppers
Laminar flow
Check weigher
Labelling machine and others



Output: up to 40/80/120 bottles/min

Max bottle diameter: 80 mm Max bottle height: 250 mm Filling ranges: 0,1 - 1000 ml

Product contacting parts alternatively: stainless steel 316 Ti

stainless steel 316 L Titanium, Hastelloy, plastics, ceramics

Bottle/jar infeed: via conveyor

via rotary table via unscrambler

Filling alternatively by: piston filler

> peristaltic filler gearwheel pump

flow meter auger filler

fixed needle Filling system:

> pneumatic diving nozzle servo diving nozzle

swivel nozzle for bypass-filling

conductive or inductive Sealing station:

Application of droppers/stoppers: via vibration sorter

Supply of caps, alternatively: manually

> vibration sorter disk sorter turbine sorter step storter

Feeding of spray pumps and triggers: with tensioning device for the tube

Cross-tara-weighing inside the starwheel, either in one or

Tel.: **43/2235/877 22-0

Fax: **43/2235/877 22-16

two steps

Equipment: Optionals:

Indexing table with 12 or 16 stations Application of droppers Application of rubber stoppers


1-4 Filling stations

Application station for caps Laminar flow Cap sorting machine Check weigher

Closing station Labelling machine and others



Application example: Minican Universal size 2



Anlagenmodule

- 1 automatic bottle unscrambler
- 2 supply rotary table for glass bottles
- 3 filling and closing machine Minican Universal, size 2

Tel.: **43/2235/877 22-0 Fax: **43/2235/877 22-16

- 4 side conveyor for Ink-Jet-bottom coding
- 5 collection conveyor





Overview on stations:



- 1. Infeed into starwheel, bottle presence sensor
- 2. Filling station 1 (rotary piston, ceramics, optionally: peristaltic, linear piston or flow-meter)
- 3. Filling station 2 (rotary piston, ceramics, optionally: peristaltic, linear piston or flow-meter)

Tel.: **43/2235/877 22-0

Fax: **43/2235/877 22-16

- 4. Press-in-station for droppers
- 5. Sensoring station for droppers (presence as well as position)
- 6. Cap dispenser with pre-capping unit
- 7. Capping station with servo drive and gripper-style capper
- 8. Sensoring station for caps (presence as well as position)
- 9. Ejection station for faulty bottles
- 10. Regular outfeed to the conveyor



Details:



Sorter and press-in unit for droppers

with vibration sorter linear chute Pick-and-place-applicator and dropper check station



Cap dispenser

with vibration sorter feeding chute pre-capper cap control station

Capping station

Tel.: **43/2235/877 22-0 Fax: **43/2235/877 22-16

with servo capper gripper style capping head electronic torque control height control after capping





application of foil disks with vacuum dispenser and pre-sealing



hot sealing station



gripper style capping head for secure capping

Tel.: **43/2235/877 22-0 Fax: **43/2235/877 22-16



applicator for spray pumps incl. tensioning the tube



Minican Universal with automatic bottle unscrambler, 3 filling stations (peristaltic) large cap bunker and elevator, capping station, labeller, 2 collection tables



Minican Universal with supply rotary table, filling station (rotary piston filler) dropper dispenser, capping station

Tel.: **43/2235/877 22-0 Fax: **43/2235/877 22-16





The success story of Minican Universal

One Basic unit and more than 60 different settings to meet your individual requirements.



Minican Universal for sterile filling with automatic bottle unscrambler, filling station, air bubble sensor for the filling hose, level sensor for the filling level, cap supply with pre-capper, capping station with servo capper and gripper capping head, labeller with integrated label printer and camera inspection for the labelled bottles.

Tel.: **43/2235/877 22-0

Fax: **43/2235/877 22-16















- 1) Minican Universal with slide valve piston filling station for Creams and pasty products
- 2) Minican Universal with pneumatic piston dosing pump for liquids

5

- 3) Minican Universal with peristaltic dosing pump for liquids
- 4) Minican Universal with auger filling station for powder
- 5) Minican Universal with auger filling station for granules and servo piston filler for liquids
- 6) Minican Universal with auger filling station for powder and peristaltic dosing pump for liquids.

Capping station available for:

Screw caps Flip-top-caps Brushes Rubber stoppers
Drop inserts Cup-to-cup-closure Spray pumps Crimp caps

Press-on caps Pipettes Triggers ROPP caps and others

Tel.: **43/2235/877 22-0

Fax: **43/2235/877 22-16



What does Minican Universal stand for?

- Minican Universal is a solid, well-engineered and continuous machine concept.
- Minican Universal got awarded with the "Innovation-Award" by the city of Vienna.
- Minican Universal is equipped with a central, clearly arranged HMI by default, which ensures a simple and structured user guidance, and is able to store up to 100 records.
- Changeover time got reduced to a minimum through standardised concepts.
- All machines of Minican Universal series are equipped with a tight-welded base frame and gasketed servicedoors on front and back.
- > Plain surfaces allow simple and easy cleaning.
- Upper and lower engine room are continuously parted and gasketed. Thus, all drive-relevant as well as control technical components are separated from the working area and the machine can be used in clean room A.
- > To attain an ideal torque transmission, the machines are equipped with bottle brakes in all capping stations. These bottle brakes ensure extra hold.
- All machines come with a pre installed option to upgrade to a servo-capper with torque processing later.
- All quality-relevant control units are connected via Mod-Bus and can be controlled directly via the central HMI.
- ➤ The combination of a tough platform, long-lived materials, 40 years of experience in building filling machines and modern, solidly constructed and built units ensure additional benefits.

Tel.: **43/2235/877 22-0

Fax: **43/2235/877 22-16

All preparations for Industry 4.0 on board.